

# GSM 850/900/1800/1900/2100MHz 4dBi MAGNETIC+RG174(1.5M)+SMA MALE

ROHS



Specifications/Special Features :  
Global System for Mobile Communication  
850/900/1800/1900/2100 MHz phone antenna,  
Broadband design for GSM/UMTS/WCDMA  
systems.


Specification	
Model No.	GSM-10
Antenna Type	Magnetic
Frequency	850/900/1800/1900/2100 MHz
Polarization	Vertical
Gain	4 dBi
V.S.W.R	< 1.8: 1
Cable	RG 174 Length=1.5M (Option)
Cable Connector	SMA MALE (Option)
Impedance	50Ω
Max Power	50 W

Dimensions

L265xW30xH30 mm

GSM-10



GSM 850/900/1800/1900/2100MHz 4dBi MAGNETIC+RG174(1.5M)+SMA MALE




CABLE:RG174 Length=1.5M (Option)

SMA MALE (Option)

1	FREQUENCY : 850/900/1800/1900/2100 MHz	6	IMPEDANCE : 50 Ω
2	GAIN : 4 dBi	7	Polarization : Vertical
3	V.S.W.R : <= 1.8: 1	8	
4	Dimensions : L265xW30XH30 mm	9	
5	CONNECTOR : SMA MALE (Option)	10	



**H-PLANE**



**E-PLANE**

